

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listing, of claims in the application.

Listing of the Claims:

1. (Currently amended) A method of scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides having image pixels which are dark relative to other image pixels which are bright, the method ~~including determining~~ comprising obtaining the number of relatively dark image pixels ~~compared to relatively bright image pixels~~ by counting those pixels having intensities below a predetermined intensity threshold and scoring ER or PR in accordance with the magnitude of the number of ~~relatively dark pixels~~ so obtained.
2. (Currently amended) ~~A method according to Claim 1 wherein~~ A method of scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides having image pixels which are dark relative to other image pixels which are bright, the method comprising determining the number of relatively dark image pixels ~~is determined~~ by transforming the image data to a different image space having an intensity image plane and counting the number of pixels having intensities below a predetermined intensity threshold, and scoring ER or PR in accordance with the magnitude of the number of relatively dark image pixels.
3. (Currently amended) A method of scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the method including the steps of:
 - a) determining the number of pixels in an image having intensities below a predetermined intensity threshold and which are thereby relatively dark ~~intensities~~ compared to other pixels in ~~an~~ the image,
 - b) determining pixel number thresholds to quantify scoring, and
 - c) comparing the number of relatively dark pixels with the pixel number thresholds and scoring ER or PR in accordance therewith.

4. (Currently amended) A method of scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the image data comprising pixels corresponding to blobs and pixels corresponding to the background, and the method including having the steps of:
- determining what proportion of total blob area is brown blob area in an image,
 - determining brown blob area proportion thresholds to quantify scoring, and
 - comparing the brown blob area proportion with the brown blob area proportion thresholds and scoring ER or PR in accordance therewith.
5. (Currently amended) ~~A method according to Claim 4 wherein the proportion of total blob area which is brown blob area is determined by~~ A method of scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the method including the steps of:
- remapping pixel intensities in the image data to increase the contrast of relatively darker image regions and to transform relatively brighter image regions into a contrast-free background,
 - converting the remapped image data into image data corresponding to thresholded binary images from which total blob area and brown blob area are discernible respectively, and
 - expressing brown blob area as a proportion of total blob area,
 - determining brown blob area proportion thresholds to quantify scoring, and
 - comparing the brown blob area proportion with the brown blob area proportion thresholds and scoring ER or PR in accordance therewith.
6. (Currently amended) A method according to Claim ~~[[3]]~~ 4 wherein the step of ~~scoring ER or PR~~ comparing the brown blob area proportion with the brown blob area proportion thresholds provides a first contribution ~~thereto~~ to an ER and PR score, and the method includes the steps of:
- providing a second contribution to ~~scoring~~ the ER or PR score by determining the number of pixels in an image having intensities below a predetermined intensity threshold and which are thereby relatively dark image pixels compared to relatively bright image other pixels in the image and deriving the

second contribution in accordance with the magnitude of the number of relatively dark pixels, and

- b) combining the first and second contributions.

7. (Currently amended) ~~A method according to Claim 6 wherein the number of relatively dark image pixels is determined~~ A method of scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the method including the steps of:

- a) determining what proportion of total blob area is brown blob area in an image,
- b) determining brown blob area proportion thresholds to quantify scoring,
- c) comparing the brown blob area proportion with the brown blob area proportion thresholds to provide a first contribution to an ER or PR score,
- d) providing a second contribution to the ER or PR score by determining the number of relatively dark image pixels compared to relatively bright image pixels by transforming the image data to a different image space having an intensity image plane and counting the number of pixels having intensity below a predetermined intensity threshold,
- e) deriving the second contribution in accordance with the magnitude of the number of relatively dark pixels, and
- f) combining the first and second contributions.

8. (Currently amended) A method of scoring Oestrogen and Progesterone Receptor expression (ER and PR) for image data obtained from histological slides, the method including the steps of:

- a) remapping pixel intensities in the image data to increase the contrast of relatively darker image regions and to transform relatively brighter image regions into a contrast-free background,
- b) converting the remapped image data into image data corresponding to thresholded images in which total blob area and brown blob area respectively are distinguished from other image regions,
- c) expressing brown blob area as a proportion of total blob area to provide a first contribution to a score,

- d) providing a second contribution to the score by determining the number of relatively dark image pixels compared to relatively bright image pixels and deriving the second contribution in accordance with the magnitude of the number of relatively dark pixels, and
 - e) deriving the score on the basis of the first and second contributions collectively.
9. (Currently amended) A method according to Claim 8 including ~~the step of~~ determining a hue for the image data and deriving a correction for the score indicated by the first and second contributions if the hue indicates a degree of blueness or brownness which renders such correction appropriate.
10. (Currently amended) Computer apparatus for scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides having image pixels which are dark relative to other pixels which are bright, the computer apparatus being programmed to ~~determine~~ obtain the number of relatively dark image pixels ~~compared to relatively bright image pixels~~ by counting those pixels having intensities below a predetermined intensity threshold and to score ER or PR in accordance with the magnitude of the number of ~~relatively dark pixels~~ so obtained.
11. (Currently amended) ~~Apparatus according to Claim 10~~ Computer apparatus for scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides having relatively dark image pixels and relatively bright pixels, the computer apparatus being programmed to determine the number of relatively dark image pixels by transforming the image data to a different image space having an intensity image plane and counting the number of pixels having intensities below a predetermined intensity threshold, and also being programmed to score ER or PR in accordance with the magnitude of the number of relatively dark image pixels.
12. (Currently amended) Computer apparatus for scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the image data comprising pixels corresponding to blobs and pixels corresponding to background and the computer apparatus being programmed to:

- a) determine the number of pixels in an image having intensities below a predetermined intensity threshold and which are thereby relatively dark intensities compared to other pixels in ~~an~~ the image,
 - b) determine pixel number thresholds to quantify scoring, and
 - c) compare the number of relatively dark pixels with the pixel number thresholds and ~~scoring~~ ER or PR in accordance therewith.

- 13. (Currently amended) Computer apparatus for scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the image data comprising pixels corresponding to blobs and pixels corresponding to background and the computer apparatus being programmed to:
 - a) determine what proportion of total blob area is brown blob area in an image,
 - b) determine brown blob area proportion thresholds to quantify scoring, and
 - c) compare the brown blob area proportion with the brown blob area proportion thresholds and scoring ER or PR in accordance therewith.

- 14. (Currently amended) ~~Apparatus according to Claim 13~~ Computer apparatus for scoring Oestrogen Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the computer apparatus being programmed to ~~determine the proportion of total blob area which is brown blob area by:~~
 - a) ~~remapping~~ remap pixel intensities in the image data to increase the contrast of relatively darker image regions and to transform relatively brighter image regions into a contrast-free background,
 - b) ~~converting~~ convert the remapped image data into image data corresponding to thresholded binary images from which total blob area and brown blob area are discernible respectively, and
 - c) ~~expressing~~ brown blob area as a proportion of total blob area,
 - d) determine brown blob area proportion thresholds to quantify scoring, and
 - e) compare the brown blob area proportion with the brown blob area proportion thresholds and score ER or PR in accordance therewith.

- 15. (Currently amended) Apparatus according to Claim ~~12~~ 13 programmed to ~~score ER or PR~~ compare the brown blob area proportion with the brown blob area proportion

thresholds to provide as a first contribution thereto to an ER or PR score, and it is the apparatus also being programmed to:

- a) provide a second contribution to scoring the ER or PR score by determining the number of pixels in an image having intensities below a predetermined intensity threshold and which are thereby relatively dark image pixels compared to relatively bright image other pixels in the image and deriving derive the second contribution in accordance with the magnitude of the number of relatively dark pixels, and
- b) combine the first and second contributions.

16. (Currently amended) ~~Apparatus according to Claim 15~~ Computer apparatus for scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the computer apparatus being programmed to:

- a) determine what proportion of total blob area is brown blob area in an image,
- b) determine brown blob area proportion thresholds to quantify scoring,
- c) compare the brown blob area proportion with the brown blob area proportion thresholds and score ER or PR in accordance therewith to provide a first contribution to an ER or PR score,
- d) determine the number of relatively dark image pixels by transforming transform the image data to a different image space having an intensity image plane and counting count the number of pixels having intensity below a predetermined intensity threshold and which are thereby relatively dark compared to other image pixels which are relatively bright,
- e) derive a second contribution to an ER or PR score in accordance with the magnitude of the number of relatively dark image pixels, and
- f) combine the first and second contributions.

17. (Currently amended) Computer apparatus for scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the computer apparatus being programmed to:

- a) remap pixel intensities in the image data to increase the contrast of relatively darker dark image regions and to transform relatively brighter bright image regions into a contrast-free background,

- b) convert the remapped image data into image data corresponding to thresholded images in which total blob area and brown blob area respectively are distinguished from other image regions,
 - c) express brown blob area as a proportion of total blob area to provide a first contribution to a score,
 - d) provide a second contribution to the score by determining the number of relatively dark image pixels compared to relatively bright image pixels and deriving the second contribution in accordance with the magnitude of the number of relatively dark pixels, and
 - e) derive the score on the basis of the first and second contributions collectively.
18. (Currently amended) Apparatus according to Claim 17 programmed to determine a hue for the image data and derive a correction for the score indicated by the first and second contributions if the hue indicates a degree of blueness or brownness which renders such correction appropriate.
19. (Currently amended) A computer ~~program~~ software product comprising a computer readable hardware medium containing computer readable instructions for controlling operation of computer apparatus to implement scoring of Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the program including having image pixels which are dark relative to other image pixels which are bright, wherein the instructions are for controlling computer apparatus to determine obtaining the number of relatively dark image pixels compared to relatively bright image pixels by counting those pixels having intensities below a predetermined intensity threshold and scoring ER or PR in accordance with the magnitude of the number of relatively dark pixels so obtained.
20. (Currently amended) A ~~program~~ computer software product according to Claim 19 ~~including~~ wherein the instructions are also for controlling obtaining computer apparatus to determine the number of relatively dark image pixels by transforming the image data to a different image space having an intensity image plane and counting the number of pixels having intensities below a predetermined intensity threshold.

21. (Currently amended) A computer ~~program~~ software product comprising a computer readable hardware medium containing computer readable instructions for controlling operation of computer apparatus to implement scoring of Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, ~~the program including wherein the instructions are for controlling computer apparatus to:~~
- a) determine the number of pixels in an image having intensities below a predetermined intensity threshold and which are thereby relatively dark intensities compared to other pixels in an image,
 - b) determine pixel number thresholds to quantify scoring, and
 - c) compare the number of relatively dark pixels with the pixel number thresholds and scoring ER or PR in accordance therewith.
22. (Currently amended) A computer ~~program~~ software program comprising a computer readable hardware medium containing computer readable instructions for controlling operation of computer apparatus to implement scoring of Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, the image data comprising pixels corresponding to blob and pixels corresponding to background and the program including instructions being for controlling computer apparatus to:
- a) determine what proportion of total blob area is brown blob area in an image,
 - b) determine brown blob area proportion thresholds to quantify scoring, and
 - c) compare the brown blob area proportion with the brown blob area proportion thresholds and scoring ER or PR in accordance therewith.
23. (Currently amended) A ~~program~~ computer software product according to Claim 22 including wherein the computer readable instructions include instructions for ~~controlling computer apparatus to determine~~ determining the proportion of total blob area which is brown blob area by:
- a) remapping pixel intensities in the image data to increase the contrast of relatively darker image regions and to transform relatively brighter image regions into a contrast-free background,

- b) converting the remapped image data into image data corresponding to thresholded binary images from which total blob area and brown blob area are discernible respectively, and
 - c) expressing brown blob area as a proportion of total blob area.

- 24. (Currently amended) A ~~program~~ computer software product according to Claim 21 ~~22~~ wherein the computer readable instructions for scoring ER or PR comparing the brown blob area proportion with the brown blob area proportion thresholds are for providing a first contribution ~~thereto~~ to an ER or PR score and the ~~program~~ product also includes instructions for ~~controlling computer apparatus to:~~
 - a) provide a second contribution to ~~scoring ER or PR score~~ by determining the number of pixels in an image having intensities below a predetermined intensity threshold and which are thereby relatively dark image-pixels compared to relatively bright image other pixels in the image and deriving the second contribution in accordance with the magnitude of the number of relatively dark pixels, and
 - b) combine the first and second contributions.

- 25. (Currently amended) A ~~program~~ computer software product according to Claim 24 ~~characterised in that it includes wherein the computer readable instructions include~~ instructions for ~~controlling computer apparatus to determine~~ determining the number of relatively dark image pixels by transforming the image data to a different image space having an intensity image plane and counting the number of pixels having intensity below a predetermined intensity threshold.

- 26. (Currently amended) A computer ~~program~~ software product comprising a computer readable hardware medium containing computer readable instructions for controlling operation of computer apparatus to score scoring Oestrogen and Progesterone Receptors expression (ER and PR) from image data obtained from histological slides, ~~the characterised in that it includes instructions being for controlling computer apparatus to implement~~ implementing the steps of:

- a) remapping pixel intensities in the image data to increase the contrast of relatively ~~darker~~ dark image regions and to transform relatively ~~brighter~~ bright image regions into a contrast-free background,
- b) converting the remapped image data into image data corresponding to thresholded images in which total blob area and brown blob area respectively are distinguished from other image regions,
- c) expressing brown blob area as a proportion of total blob area to provide a first contribution to a score,
- d) providing a second contribution to the score by determining the number of relatively dark image pixels compared to relatively bright image pixels and deriving the second contribution in accordance with the magnitude of the number of relatively dark pixels, and
- e) deriving the score on the basis of the first and second contributions collectively.

27. (Currently amended) A ~~program~~ computer software product according to Claim 26 ~~characterised in that it includes~~ wherein the computer readable instructions include instructions for ~~controlling computer apparatus to determine~~ determining a hue for the image data and ~~to derive~~ deriving a correction for the score indicated by the first and second contributions if the hue indicates a degree of blueness or brownness which renders such correction appropriate.